

Nonlinear PDE Workshop at Tohoku University

Sept 24 (Thu) - 26 (Sat) , 2015
Kawai Hall, Mathematical Institute
Faculty of Sciences, Tohoku University

Invited Speakers

P. Lindqvist (Norwegian)
O. Ley (France)
T. Kuusi (Finland)
T. Horiuchi (Ibaraki)
M. Misawa (Kumamoto)
S. Tanaka (Okayama)
S. Takeuchi (Saitama)
M. Tanaka (Tokyo)
K. Nakagawa (Fukushima)
Q. Liu (Fukuoka)

$$\frac{\partial u}{\partial t} - \Delta u + \frac{\langle D^2 u Du, Du \rangle}{|Du|^2} = 0$$
$$\Delta_p u := \sum_{k=1}^n \frac{\partial}{\partial x_k} \left(|Du|^{p-2} \frac{\partial u}{\partial x_k} \right)$$
$$\Delta_\infty u = 0$$

Supported by

- JSPS Grant-in-Aid for Scientific Research B No. 23340028 (S. Koike)
- JSPS Grant-in-Aid for Scientific Research S No. 25220702 (T. Ogawa)

Information

Shigeaki KOIKE (Tohoku University)
E-mail: koike@math.tohoku.ac.jp
Tel & Fax 022-795-5773